

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 10/09/01
Date Received: 10/03/01
Project: Metro K.C. Grab PO# M66822
Date Extracted: 10/03/01
Date Analyzed: 10/03/01

**RESULTS FROM THE ANALYSIS OF WATER SAMPLES
FOR TOTAL METALS BY
INDUCTIVELY COUPLED PLASMA (ICP)
(METHOD 6010)**

Results Reported as mg/L (ppm)

<u>Sample ID</u> Laboratory ID	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M66822 110015-01	0.33	0.38	0.44	0.06
Method Blank	<0.05	<0.05	<0.05	<0.05

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 10/09/01

Date Received: 10/03/01

Project: Metro K.C. Grab PO# M66822

QUALITY ASSURANCE RESULTS FROM TOTAL METALS BY INDUCTIVELY COUPLED PLASMA (ICP) (METHOD 6010)

Laboratory Code: 110015-01 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	Relative Percent Difference	Acceptance Criteria
Chromium	mg/L (ppm)	0.33	0.35	6	0-20
Copper	mg/L (ppm)	0.38	0.37	3	0-20
Nickel	mg/L (ppm)	0.44	0.45	2	0-20
Zinc	mg/L (ppm)	0.06	0.05	18	0-20

Laboratory Code: 110015-01 (Matrix Spike)

Analyte	Reporting Units	Spike Level	Sample Result	% Recovery MS	Acceptance Criteria
Chromium	mg/L (ppm)	1	0.33	82	80-120
Copper	mg/L (ppm)	1	0.38	74 b	80-120
Nickel	mg/L (ppm)	2	0.44	75 b	80-120
Zinc	mg/L (ppm)	1	0.06	85	80-120

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	% Recovery LCS	% Recovery LCSD	Acceptance Criteria	RPD (Limit 20)
Chromium	mg/L (ppm)	1	98	99	80-120	1
Copper	mg/L (ppm)	1	100	92	80-120	8
Nickel	mg/L (ppm)	2	103	97	80-120	6
Zinc	mg/L (ppm)	1	105	100	80-120	5

b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.

110015

SAMPLE CHAIN OF CUSTODY

BI, 10/3/01 ME

AKC-000949

Send Report To Genel A. Thompson
 Company Alaskan Copper Works
 Address 628 S. Harbor St
 City, State, ZIP Seattle WA 98134
 Phone # 206-382-8379 Fax # 206-382-4309

SAMPLERS (signature)

PROJECT NAME/NO.

PO #

metro KC. Gash

m 66822

REMARKS

Rush!! Phone Results

Page # _____ of _____

TURNAROUND TIME

☐ Standard (2 Weeks)☐ RUSH

Rush charges authorized by: _____

SAMPLE DISPOSAL

☐ Dispose after 30 days☐ Return samples☐ Will call with instructions

Sample ID	Lab ID	Date Sampled	Time Sampled	Sample Type	# of containers	ANALYSES REQUESTED										Notes
						TPH-Diesel	TPH-Gasoline	BTEX by 8021B	VOCs by 8260	SVOCs by 8270	HFS	ChCl ₃ v/v				
m 66822	01	10/3	1:00pm	H ₂ O	1							✓				

Friedman & Bruya, Inc.
 3012 16th Avenue West
 Seattle, WA 98119-2029
 Ph. (206) 285-8282
 Fax (206) 283-5044

SIGNATURE

PRINT NAME

COMPANY

DATE

TIME

Relinquished by:

Received by:

Relinquished by:

Received by:

Genel A. Thompson

Michael E. Dahl

Aew

P & B

10/3/01

10/3/01

1:48pm

2:55pm

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Charlene Morrow, M.S.
Yelena Aravkina, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044
e-mail: fbi@isomedia.com

October 9, 2001

DUPLICATE COPY

INVOICE #01ACU1009-1

Accounts Payable
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

RE: Project Metro K.C. Grab PO# M66822 - Results of testing requested by Gerry Thompson for material submitted on October 3, 2001.

1 sample analyzed for Total Chromium, Copper, Nickel and Zinc by Method 6010B @ \$80 per sample	\$ 80.00
Amount Due	\$ 80.00

FEDERAL TAX ID #(b) (6)

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Charlene Morrow, M.S.
Yelena Aravkina, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044
e-mail: fbi@isomedia.com

October 9, 2001

Gerry Thompson, Project Manager
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134


Dear Mr. Thompson:

Included are the results from the testing of material submitted on October 3, 2001 from your Metro K.C. Grab PO# M66822 project. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Michael Erdahl
Project Manager

Enclosures
ACU1009R.DOC